

**Stay Cool**

2800 Treble Lane #834  
 Austin, TX 78704  
 steven@drinkstaycool.com  
 (512) 971-1316  
 Lic. #

**Sample: 2508CWB0212.0712**

Strain: N/A

Batch#: 25245; Batch Size: g

Sample Received: 09/02/2025; Report Created: 09/07/2025

Sampling: ; Environment:

**Stay Cool Beverages - Pineapple Wave - Delta-9<sup>Notes:</sup>**

Ingestible, Beverage  
 Harvest Process Lot: ; METRC Batch: ; METRC Sample:



<b>0.008%</b> Δ9 THC	<b>ND</b> Total CBD	<b>NR</b>
<b>25.95 mg/unit</b> Total THC	<b>25.95 mg/unit</b> Total Cannabinoids	Moisture

## Cannabinoids

Analyte	LOQ	Result	Result
	mg/unit	mg/unit	mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	25.95	0.08
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
<b>Total</b>		<b>25.95</b>	<b>0.08</b>

1 mL = 0.9975g.

Total THC = THCa \* 0.877 + d9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids  
 LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G  
 Greenville, SC  
 (864) 568-8940  
<http://www.clearwaterbiotech.com>  
 Lic# 100737 L21-505



  
 Lindsey Contella  
 Certifying Scientist

Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

## Stay Cool

2800 Treble Lane #834  
 Austin, TX 78704  
 steven@drinkstaycool.com  
 (512) 971-1316  
 Lic. #

Sample: 2508CWB0212.0712

Strain: N/A

Batch#: 25245; Batch Size: g

Sample Received: 09/02/2025; Report Created: 09/07/2025

Sampling: ; Environment:

## Stay Cool Beverages - Pineapple Wave - Delta-9<sup>Notes:</sup>

Ingestible, Beverage  
 Harvest Process Lot: ; METRC Batch: ; METRC Sample:



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

2508CWB0212.0712

Matrix: Edible

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS

OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.

Type: Beverage

## Certificate of Analysis

### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50903010-002



PASSED

Pages 1 of 3

Sep 05, 2025 | Clearwater Biotech, LLC  
 1327 Miller Road  
 Greenville, SC, 29607, US

#### SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture	MISC.
PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	Terpenes NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppb=Parts Per Billion, ppf=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure. The LOD is the lowest concentration that can be detected with a given level of confidence. The LOQ is the concentration that can be measured with a given level of confidence. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director  
 State License # : 0000-0000  
 ISO 17025 Accreditation # : ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 09/05/25

1327 Miller Rd Suite G  
 Greenville, SC  
 (864) 568-8940  
<http://www.clearwaterbiotech.com>  
 Lic# 100737 L21-505



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Confident LIMS

All Rights Reserved

[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)

(866) 506-5866

[www.confidentlims.com](http://www.confidentlims.com)





## Stay Cool

2800 Treble Lane #834  
Austin, TX 78704  
steven@drinkstaycool.com  
(512) 971-1316  
Lic. #

Sample: 2508CWB0212.0712

Strain: N/A

Batch#: 25245; Batch Size: g

Sample Received: 09/02/2025; Report Created: 09/07/2025

Sampling: ; Environment:

## Stay Cool Beverages - Pineapple Wave - Delta-9<sup>Notes:</sup>

Ingestible, Beverage  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Kaycha Labs

2508CWB0212.0712  
Matrix : Edible  
Type: Beverage

## Certificate of Analysis

PASSED

Page 3 of 3

Microbial		Mycotoxins	
Analyte	LOD	Units	Result
			Pass / Fail
			Action Level
ASPERGILLUS TERREUS			Not Present
ASPERGILLUS NIGER			Not Present
ASPERGILLUS FUMIGATUS			Not Present
ASPERGILLUS FLAVUS			Not Present
SALMOGENESIS SPECIFIC GENE			Not Present
ECOLI SHIGELLA			Not Present
TOTAL YEAST AND MOLD	10	CFU/g	<10
			PASS
			100000
Analyzed by:	Weight:	Extraction date:	Extracted by:
4892, 585, 1440	1.103g	09/03/25 11:09:31	4520
Analysis Method :	SOP T.40.056C, SOP T.40.058.FL, SOP T.40.209.FL		
Analytical Batch No :	1440		
Instrument Used :	DA-111 (95°C Incubator), DA-013 (Thermocycler), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block)	Batch Date : 09/03/25 10:57:11	
Analyzed Date :	09/04/25 11:30:16		
Dilution : 10			
Requester : 071525.210, 071825.05, 082725.R39, 080724.13			
Consumables : N/A			
Pipette : N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64EKN20-39.			
Analyzed by:	Weight:	Extraction date:	Extracted by:
4892, 4571, 585, 1440	1.103g	09/03/25 11:09:31	4520
Analysis Method :	SOP T.40.209.FL		
Analytical Batch No :	1440		
Instrument Used :	DA-328 (25°C Incubator)	Batch Date : 09/03/25 10:58:32	
Analyzed Date :	09/05/25 14:26:00		
Dilution : 10			
Requester : 071525.210, 071825.05, 072425.R12			
Consumables : N/A			
Pipette : N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64EKN20-39.			
Analyzed by:	Weight:	Extraction date:	Extracted by:
1022, 585, 1440	0.2395g	09/03/25 12:25:26	4531
Analysis Method :	SOP T.30.082.FL, SOP T.40.082.FL		
Analytical Batch No :	1440		
Instrument Used :	DA-4PM95-004	Batch Date : 09/03/25 09:05:46	
Analyzed Date :	09/04/25 10:26:21		
Dilution : 50			
Requester : 081225.R05, 082125.R07, 090225.R16, 082225.R18, 090225.R18, 090225.R17, 080625.01, 082125.R06, 061323.01			
Consumables : 030125CH01, J60979-0193, 179436			
Pipette : DA-061, DA-191, DA-216			
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64EKN20-39.			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure. The LOD is the minimum amount of analyte that can be detected with a 95% confidence level. The LOQ is the measurement of uncertainty (MU) error available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director  
State License # : 400-0000  
ISO 17025 Accreditation # : ISO/IEC 17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/05/25

1327 Miller Rd Suite G  
Greenville, SC  
(864) 568-8940  
<http://www.clearwaterbiotech.com>  
Lic# 100737 L21-505



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)

